



# Bernstein SRM rope-pull switches

Forward thinking for safety solutions

# For greater safety on the production line: Introduction


Whether on the production line or at the machine – when maximum safety in a company's production area is concerned, rope-pull safety switches provide a proven and reliable technical solution.

Now, with its new SRM range, Bernstein is showing that even the proven best can be improved – and not just in the detail. Because SRM rope-pull safety switches from Bernstein can be deployed anywhere, are easy to install, and very straightforward to use. And most important of all – they provide maximum safety when you need it.

## A good safety solution is so simple

Whether a first-time installation or a refit – installing SRM rope-pull safety switches could not be easier – and the same applies in use.

- Easy to fasten due to hole template patterns common for most rope-pull safety switch models
- Flexible handling with three M20 x 1.5 cable entrances
- Faster, easier, and more economical structure with Quick-fix clamping head
- Large connection area makes for easy installation
- Straightforward to handle thanks to easy-to-read switching state display



A hand turn: Quick-Fix quick action clamping head



Everything to hand: The emergency palm button



Clear to view: Rope status display

# Introducing the new Bernstein SRM rope-pull safety switch

## Safety when you need it




Bernstein SRM rope-operated safety switches comply with the highest safety requirements – even exceeding these in many aspects.

- Patented electronic advance malfunction monitoring for early detection of a change in the rope tension
- Rope status display allows correct setting and inspection
- Tamper-proofed with cover over the mechanical parts
- Connection area and mechanical components are separate for extra safety
- Now, even clearer with dual-function palm-button (emergency stop and pull release)
- Slow-action and snap functions with up to four direct openers and/or slow-action-close contacts
- Separate-action mounting switches

## The weather-proof all-rounder at a fair price

The new SRM rope-pull safety switches also perform reliably in extreme conditions. This is due in particular to their extremely robust manufacturing process – which, moreover, thanks to their improved structure – does not cost the world.


- Its rating under safety class IP67 means that it can be used for many applications
- Stable and durable metal housing
- Outer sleeve provides optimum protection of the tension bolt holder
- Also suitable for outdoor use
- Can be deployed at temperatures between  $-30\text{ }^{\circ}\text{C}$  and  $+80\text{ }^{\circ}\text{C}$



... and the switching status indicator

Schaltprogramm und Schaltsymbol					
Schaltglied	<b>U1Z</b>	<b>SU1Z</b>	<b>A2Z</b>	<b>SA2Z</b>	<b>E2</b>
Kontaktart	1 Öffner, 1 Schließer (Zb)	1 Öffner, 1 Schließer (Zb)	2 Öffner (Zb)	2 Öffner (Zb)	2 Schließer
Schaltsymbol					
Schaltprogramm	Schleischschaltglied	Sprungschaltglied	Schleischschaltglied	Sprungschaltglied	Schleischschaltglied
Die Angaben der Zugkraft sind vom verwendeten Typ abhängig. (SRM...175/SRM...300)					
<input checked="" type="checkbox"/> Ein <input type="checkbox"/> Aus					
Toleranzen: Schaltpunkt +/- 0,5 mm Betätigungskraft +/- 15 %					

## The name is the identification e.g. SRM-U1Z/U1Z-QF-300-E-...



Easy to use: Cable entrances...



... and large connection area



Optimum protection: the outer sleeve



 **BEP**  
D-324  
SRM-UTZ/UT  
601.2929  
10A/250V  
IEC/EN

# Further safety technology in the Bernstein range

## Limit switches



- Encapsulated by metal and insulating material, with operator protection

## Safety switches



- Encapsulated by insulating material with separate actuator

## Safety interlocking switches



- Encapsulated by insulating material with separate actuator

Spring or magnetic locking

## Safety rope pull switches



- Insulating material housing



- Encapsulated by insulating material with separate actuator



- Metal housings with separate actuator

Spring or magnetic locking

## Emergency Stop button



- With rotation unlocking or key unlocking



- Metal housings with separate actuator

## Safety relay



- Up to control category 4 according to EN 945-1



- Encapsulated by insulating material with integrated actuation

## Safety sensors



- Safety light curtains, multi-beam light barrier



- Encapsulated by insulating material with integrated actuation



- Switching hinge SHS3 with integrated fine adjustment system

## International Headquarters

### Germany

#### Bernstein AG

Tieloser Weg 6  
D-32457 Porta Westfalica  
Phone +49 571 793-0  
Fax +49 571 793-555  
info@de.bernstein.eu

### Denmark

#### Bernstein A/S

Sindalsvej 30  
DK-8240 Risskov  
Phone +45 7020 0522  
Fax +45 7020 0177  
info@dk.bernstein.eu

### Italy

#### Bernstein S.r.l.

Via del pero 12a/b  
I-24040 Levate (BG)  
Phone +39 035 4549037  
Fax +39 035 4549647  
info@it.bernstein.eu

### Austria

#### Bernstein GmbH

Kurze Gasse 3  
A-2544 Leobersdorf  
Phone +43 2256 62070-0  
Fax +43 2256 62618  
info@at.bernstein.eu

### Switzerland

#### Bernstein (Schweiz) AG

Steinhaldenstrasse 14  
CH 8954 Geroldswil  
Phone +41 44 775 71 71  
Fax +41 44 775 71 72  
info@ch.bernstein.eu

### France

#### Bernstein S.A.R.L.

Tieloser Weg 6  
D-32457 Porta Westfalica  
Phone +33 1 64 66 32 50  
Fax +33 1 64 66 10 02  
info@fr.bernstein.eu

### Netherlands

#### Bernstein BV

Tieloser Weg 6  
D-32457 Porta Westfalica  
Phone +31 314 366088  
Fax +31 314 361256  
info@nl.bernstein.eu

### Great Britain

#### Bernstein Ltd (UK)

Unit 1, Westgate Park  
Tintagel Way  
Westgate  
Aldridge  
West Midlands  
WS9 8EX  
Phone +44 1922 744999  
Fax +44 1922 457555  
info@uk.bernstein.eu

### China

#### Bernstein Safe Solutions (Taicang) Co., Ltd.

North 38, Dongting Road,  
Taicang City  
Development Area,  
Taicang 215400  
Jiangsu Province, P.R. China  
Phone +86 512 81608180  
Fax +86 512 81608181  
info@bernstein-safesolutions.cn

### Hungary

#### Bernstein Kft.

Fehér utca 10  
1106 Budapest  
Phone +36 1 434 2295  
Fax +36 1 434 2299  
info@hu.bernstein.eu



**INDUSTRIAL  
SAFETY SALES INC.**

P.O. Box 126 -- 4112 Sheridan Road  
Kenosha, WI 53141  
Fax: (262) 652-1388  
E-mail: [safetysensing@earthlink.net](mailto:safetysensing@earthlink.net)

**(262) 652-8660**